



# Soils Map



State: **Minnesota**  
 County: **Kandiyohi**  
 Location: **34-118N-36W**  
 Township: **Edwards**  
 Acres: **113.91**  
 Date: **3/6/2019**



Maps Provided By:  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2019 [www.AgriDataInc.com](http://www.AgriDataInc.com)



Soils data provided by USDA and NRCS.

## Area Symbol: MN067, Soil Area Version: 17

Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Productivity Index	Bromegrass alfalfa	Bromegrass alfalfa hay	Cor n	Oats	Soybeans	Spring wheat	*n NCCPI Soybeans
927	Harps-Glencoe-Seaforth complex, 0 to 3 percent slopes	38.74	34.0%		IIw	90							79
L223B	Amiret-Swanlake loams, 2 to 6 percent slopes	31.85	28.0%		Ile	92							80
446B	Normania loam, 2 to 5 percent slopes	17.76	15.6%		Ile	94	5.8	4.5	172	87	52	52	64
1900	Okoboji-Canisteo depressional complex, 0 to 1 percent slopes	12.35	10.8%		IIIw	86							78
35	Blue Earth mucky silt loam, 0 to 1 percent slopes	7.21	6.3%		IIIw	77							77
897B	Seaforth-Swanlake loams, 2 to 6 percent slopes	4.53	4.0%		IIs	90	5.4	4.2	165	85	50	52	68
L163A	Okoboji silty clay loam, 0 to 1 percent slopes	1.21	1.1%		IIIw	86							77
L505A	Delft clay loam, 0 to 2 percent slopes	0.26	0.2%		IIw	94							76
<b>Weighted Average</b>						<b>89.9</b>	<b>1.1</b>	<b>0.9</b>	<b>33.4</b>	<b>16.9</b>	<b>10.1</b>	<b>10.2</b>	<b>*n 76.2</b>

\*n: The aggregation method is "Weighted Average using major components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.