



Soils Map



State: **Minnesota**
 County: **Renville**
 Location: **29-116N-31W**
 Township: **Boon Lake**
 Acres: **163.21**
 Date: **9/11/2019**



Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2019 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

©2019 AgriData, Inc.

Area Symbol: MN129, Soil Area Version: 15													
Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Productivity Index	Bromegrass alfalfa	Bromegrass alfalfa hay	Cor n	Oats	Soybeans	Spring wheat	*n NCCPI Soybeans
L107A	Canisteo-Glencoe complex, 0 to 2 percent slopes	36.54	22.4%		llw	91							79
L85A	Nicollet clay loam, 1 to 3 percent slopes	25.06	15.4%		lw	99							78
112	Harps clay loam, 0 to 2 percent slopes	22.28	13.7%		llw	90							77
L83A	Webster clay loam, 0 to 2 percent slopes	20.07	12.3%		llw	93							80
102B	Clarion loam, 2 to 6 percent slopes	18.65	11.4%		lle	95							83
118	Crippin loam, 1 to 3 percent slopes	15.85	9.7%		le	100							84
887B	Clarion-Swanlake complex, 2 to 6 percent slopes	7.34	4.5%		lle	92							82
920B	Clarion-Storden-Hawick complex, 2 to 6 percent slopes	7.22	4.4%		lle	72	5.3	4.1	132	82	40	49	60
L163A	Okoboji silty clay loam, 0 to 1 percent slopes	6.62	4.1%		lllw	86							77
1376C	Clarion-Storden complex, 6 to 10 percent slopes, moderately eroded	1.79	1.1%		llle	87							65
1080	Klossner, Okoboji and Glencoe soils, ponded, 0 to 1 percent slopes	1.11	0.7%		Vlllw	5							3
336	Delft clay loam, 0 to 2 percent slopes	0.68	0.4%		llw	94							76



Weighted Average	92.1	0.2	0.2	5.8	3.6	1.8	2.2	*n 78.2
-------------------------	-------------	------------	------------	------------	------------	------------	------------	----------------

*n: The aggregation method is "Weighted Average using major components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.