



Soils Map



State: **Minnesota**
 County: **Meeker**
 Location: **4-118N-31W**
 Township: **Greenleaf**
 Acres: **80**
 Date: **12/5/2017**



Maps Provided By:










 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2017 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

©2017 AgriData, Inc.

Area Symbol: MN093, Soil Area Version: 11

Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Productivity Index	Bromegrass alfalfa	Bromegrass alfalfa hay	Corn	Oats	Soybeans	Spring wheat
L186A	Danielson-Danielson, overwash complex, 1 to 4 percent slopes	26.76	33.4%		IIw	93	5	3.8	170		51	49
L166D2	Newlondon-Strout complex, 12 to 18 percent slopes, moderately eroded	15.33	19.2%		IVe	64	3.8	2.8	117		35	38
L185B	Strout-Arkton complex, 2 to 6 percent slopes	13.71	17.1%		IIe	83	5.1	4	152		46	49
960C2	Storden-Omsrud complex, 6 to 12 percent slopes, eroded	13.04	16.3%		IIIe	78	4.5	3.8	143	73	43	44
740	Hamel-Glencoe complex, 0 to 2 percent slopes	4.75	5.9%		IIw	93						
86	Canisteo clay loam, 0 to 2 percent slopes	3.15	3.9%		IIw	93						
L85A	Nicollet clay loam, 1 to 3 percent slopes	1.45	1.8%		Iw	99						
L13A	Klossner muck, 0 to 1 percent slopes	1.43	1.8%		IIIw	77						
L200A	Klossner muck, depressional, firm substratum, 0 to 1 percent slopes	0.38	0.5%		IIIw	76			139		42	43
Weighted Average						83	4	3.1	129.3	11.9	38.9	39.4

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.