



# Soils Map



State: **Minnesota**  
 County: **Kandiyohi**  
 Location: **8-118N-35W**  
 Township: **Whitefield**  
 Acres: **160**  
 Date: **1/31/2019**



Maps Provided By:  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2019 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

©2019 AgriData, Inc.

Area Symbol: MN067, Soil Area Version: 17													
Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Productivity Index	Bromegrass alfalfa	Bromegrass alfalfa hay	Cor n	Oats	Soybeans	Spring wheat	*n NCCPI Soybeans
927	Harps-Glencoe-Seaforth complex, 0 to 3 percent slopes	113.18	70.7%		Ilw	90							79
L223B	Amiret-Swanlake loams, 2 to 6 percent slopes	22.59	14.1%		Ile	92							80
L163A	Okoboji silty clay loam, 0 to 1 percent slopes	13.84	8.6%		Illw	86							77
999B	Ves-Swanlake-Hawick complex, 2 to 6 percent slopes	3.86	2.4%		Ile	74	5.1	3.9	135	80	41	48	50
423	Seaforth loam, 1 to 3 percent slopes	2.76	1.7%		Ils	95							84
1055	Aquolls and Histosols, ponded	1.95	1.2%		VIIIw	5							0
897B	Seaforth-Swanlake loams, 2 to 6 percent slopes	1.06	0.7%		Ils	90	5.4	4.2	165	85	50	52	68
112	Harps clay loam, 0 to 2 percent slopes	0.39	0.2%		Ilw	90							77
1900	Okoboji-Canisteo depressional complex, 0 to 1 percent slopes	0.37	0.2%		Illw	86							78
<b>Weighted Average</b>						<b>88.6</b>	<b>0.2</b>	<b>0.1</b>	<b>4.4</b>	<b>2.5</b>	<b>1.3</b>	<b>1.5</b>	<b>*n 77.3</b>

\*n: The aggregation method is "Weighted Average using major components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method